

PARTS MUST CONFORM TO APPLICABLE ALLEN-BRADLEY CO. WORKMANSHIP STANDARD 40126-700

A

B

C


D

E

F

G

H



INSIDE RADIUS	
BEND ALLOWANCE	

CLASSIFICATION TABLE			
CHARACTERISTIC OR DIMENSION	COMMENT	DRAWING LOCATION (ZONE)	
100°	±5°	E7	X
1.12		B2	X
1.12		B4	X

◆ P = PERFORMANCE, ◆ F = FIT, ◆ A = ASSEMBLY

PART NO.	CHG. NO.	MATERIAL	SURFACE TREATMENT
-03			
-02			
-01	4	0.060 CLEAR POLYCARBONATE	NONE

REVISION AUTHORIZATION	
1	21011-02
2	21051-02
3	21310-02
4	21351-04

REFERENCES  
NONE

DIMENSIONS APPLY BEFORE SURFACE TREATMENT  
DIMENSIONS IN INCHES  
TOLERANCES UNLESS OTHERWISE SPECIFIED

XX: ± .02  
XXX: ± .005  
ANGLES: ± 1°

POWER FUSE GUARD

DR. G. LEHTOLA DATE 1-7-02  
C=KD. N/A DATE N/A  
APPD. G. BRUSKI DATE 1-7-02

FILE NAME	40122-349	GDL
THIS DRAWING IS THE PROPERTY OF ROCKWELL AUTOMATION OR ITS SUBSIDIARIES AND MAY NOT BE COPIED, USED OR DISCLOSED FOR ANY PURPOSE EXCEPT AS AUTHORIZED IN WRITING BY ROCKWELL AUTOMATION		
LOCATION: MILWAUKEE, WISCONSIN U.S.A.		
SHEET	OF 1	
DWG. SIZE	40122-349	

NAME:GDLEHTOL OBJECT:40122\_349 DATE:27-Oct-04 08:23:08